


Colors Soundwave®



Standard felt colors



Offwhite



Grey



Anthracite

SOUNDWAVE® Collection – available colorways

ACOUSTIC PANELS	OFFWHITE	GREY	ANTHRACITE	SEMI-TRANSPARENT WHITE	GABRIEL EUROPOST
Ando		●			
Bella	●	●	●		●
Botanic	●	●	●		●
Ceramic					
Flo	●	●	●		●
Geo	●	●	●		
Luna	●	●			
Pix					●
Scrunch	●	●	●		●
Sky	●	●	●		
Stripes	●	●	●		
Swell	●	●	●		●
Swell Diffuser				●	
Wall	●				
Village	●	●	●		
Wicker	●	●	●		

EUROPOST 2 SPECIFICATIONS

FIELDS OF APPLICATION	CONTRACT	
Material	100% Wools of New Zealand	
Weight	G/lm. Oz/lin.yd.	800 25.80
Abrasion resistance	Rubs Martindale (EN ISO 12947-2)	50,000
Pilling	Scale 1-5, max. 5 - EN ISO 12945-2	4
Colour fastness to light	Scale 1-8, max. 8 - EN ISO 105-B02	5-7
Colour fastness to rubbing	Scale 1-5, max. 5 - EN ISO 105x12 (wet/dry)	4-5/4-5
US ACT	AATCC 16 Light fastness ASTM E 84 NFPA 286 Room corner fire test AATCC 8 or 116 wet/dry crocking	pass pass pass pass
Environment	Oeko-Tex EU Ecolabel 100% free of heavy metals	
Design	Gabriel design team	
Colours	Cenk Kivrikoglu	

Europost library

All colors available for Bella, Botanic, Flo, Pix, Scrunch and Swell



60000



60003



66056



60016



66017



61107



61003



61052



60058



61004



61005



61109



60051



60999



63016



63073



63072



63004



63070



61108



64070



64149



64068



64045



64150



64009



64035




65069



65070



65071



65072



66118



66115



66039



67066



67016



66119



66116



66117



68035



68030



68126



68127



68128



62061



62060



68027



68003

OFFECCT

OFFECCT: BOX 100, SE-543 21 TIBRO, SWEDEN
PHONE: +46 (0)504 415 00
E-MAIL: SUPPORT@OFFECCT.SE
WWW.OFFECCT.COM