

Product tear sheet

TUBE workstation and table base system

Available as a supply and fit item or supply only stock base components

STOCK

Height: 720mm, with 25mm thick top
Lead time: quick ship, 2-3 weeks
Origin: Taiwan

MTO

Height: 720mm, with 25mm thick top
Lead time: 4-5 weeks
Origin: NSW



Product tear sheet

TOP FINISHES:

Cost effective: Laminex core commercial melamine range,

Mid range: Polytec Ravine or Woodmatt range,

Premium: Extended Polytec or Laminex laminate ranges, Painted MDF or plywood with polyurethane finish, Plywood with Forbo Furniture Linoleum range top surface, Veneer

BASE FINISH:

MTO: Dulux or Interpon standard powder coat ranges, black adjustable feet.


STOCK: White or black matt powder coat, black adjustable feet.

Stocked modular components are highly flexible and are equally suitable as a workstation and table base.


Low profile beams maximise knee room.

STOCK COMPONENTS


Legs:




TXL_end: 1370mm wide end of run leg




TL_end: 1170mm wide end of run leg




TM_end: 660mm wide end of run leg




TS_end: 560mm wide end of run leg



TM_mid: 970mm wide mid. run leg



TS_mid: 360mm wide mid. run leg



T_120: snowflake cluster middle leg



T_post: single post leg

Product tear sheet

HOOK Beams:

ADJUSTABLE:

HOOK_1400 + HOOK_S1200: 2400 - 1700 mm


HOOK_900 + HOOK_S1200: 2000 - 1500 mm

HOOK_600 + HOOK_S1200: 1600 - 1400 mm

HOOK_900 + HOOK_S750: 1600 - 1200 mm

HOOK_600 + HOOK_S750: 1300 - 1000 mm

Adjustability range as measured from centre of connected legs
Suitable for top support and leg connection where length adjustability is required



FIXED:

HOOK_1400: 1570 mm


HOOK_1200: 1370 mm

HOOK_900: 1070 mm

HOOK_600: 770 mm

HOOK_400: 570 mm


Length as measured from centre of connected legs
Suitable for top support and leg connection where length adjustability is not required



HOOK PLATE:

HOOK_P


Used to make T junction connection,
For L shape desks or width decrease configurations as
well as melamine storage integration



HOOK HORN:

HOOK_H


Creates extended support to top, where beam is
not suitable




Product tear sheet

TOP CONFIGURATIONS:

Circular table or
workstation cluster




Square




Product tear sheet


Rectangular, single,
or multiple piece tops



Regular trapezium or
boat chape, single or
multiple piece tops





Linear or L-shape
desk



Product tear sheet

L-shape or snowflake
workstation cluster



Linear back to back
workstation cluster
with meeting end add
on

