VAPOR ECHO CYLINDER

INSTRUCTIONS For Assembling and Installing Pour l'assemblage et L'installation



READ ALL SAFETY INSTRUCTIONS FIRST

- Follow instructions carefully, failure to do so will void the warranty.
- Ensure installation complies with local law and applicable standards.
- Input voltage is 110V AC, 60 Hz.
- Maximum lamp wattage: 60W.
- Ensure mains input is surge protected.

- $\bullet \quad \hbox{Never make connections while power is connected}.$
- Do not make modifications or alter the product.
- Keep luminaire and connections clean and free of debris or moisture.
- It is the installer's responsibility that the installation is adequately sealed to avoid moisture ingress.












Assembly Instructions

⚠ Before starting, determine which fasteners will be best suited to secure the fitting, based on the material of the ceiling substrate.

This product is to be installed by a qualified electrician only.


STEP 1

Remove the top lid and assemble stand base using the two stand feet.



STEP 2

Remove pendant's heart and circular cardboard base undernath it, and place on top of the assembled stand. Use cutouts on circular base to fix it to the stand feet.














Assembly Instructions

⚠ Before starting, determine which fasteners will be best suited to secure the fitting, based on the material of the ceiling substrate.

This product is to be installed by a qualified electrician only.


STEP 3

Push clips down and pull ring up on each arm to detach the ring from the pendant's heart.



STEP 4

Remove PET segments from box and assemble them together using supplied push rivets while leaving one opening. See below for reference.














Assembly Instructions

⚠ Before starting, determine which fasteners will be best suited to secure the fitting, based on the material of the ceiling substrate.

This product is to be installed by a qualified electrician only.


STEP 5

Unfasten grub screws on the ring bracket, feed ring through holes on each PET segment, and fasten grub screws on ring bracket.



STEP 6

Carefully fix shade to pendant's heart by droping it in place so that the ring sits in its specific slot and the clips are closed. It might be needed to do this arm by arm to make sure the ring sits in the right place. Once ring is secured, the pendant is ready to be hung,













Assembly Instructions

 Δ Before starting, determine which fasteners will be best suited to secure the fitting, based on the material of the ceiling substrate.

 \triangle This product is to be installed by a qualified electrician only.

STEP 7

Fix suspension kit and adjust overall height of pendant .

